Page: 1 of: 2

Section 1. Product and Company Identification

Item Number .: s172d-1

Common Name .: EDTA Disodium Salt Formalin

Intended Use: In Vitro Diagnostic use. Laboratory Use Only

IN CASE OF EMERGENCY, CONTACT: CHEMTREC (24HR) 800-424-9300

Manufacturer.: StatLab Medical Products 2090 Commerce Drive McKinney, TX 75069 800-442-3573 Fax 972-436-1369 www.statlab.com

Section 2. Hazard Identification

226 Flammable Liquids Cat 3

- 301 Acute toxicity, oral Cat 3
- 311 Acute toxicity,dermal Cat 3
- 315 Skin corrosion/irritation Cat 2
- 318 Serious eve damage/eve irritation Cat 1
- 334 Sensitisian, respiratory Cat 1
- 350 Carcinogenicity Cat 1A, 1B
- 360 Reproductive toxicity Cat 1A, 1B
- 370 Specific target organ toxicity, single exposure Cat 1



Danger

Flammable liquid and vapour. Toxic if swallowed/ in contact with skin. Causes serious eye damage. May cause allergy/ asthma/breathing difficulties. May cause cancer. May damage fertility or the unborn child.

Obtain special instructions before use. Do not handle until all safety precuations have been read and understood. Wear protective gloves/face protection/eye protection/protective clothing. In case of inadequate ventilation wear respiratory protection. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.-No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash hands/skin thoroughly after handling. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. IF exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep in a positon comfortable for breathing. Call a POISON CENTER or physician. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of soap/water/shower. If skin irritation or rash occurs: get medical attention. IF IN EYES: Rinse cuatiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Keep container tightly closed, locked up in well ventilated-area and cool. Dispose of contents/container to an appropriate treatment and disposal facility.

Hazards not otherwise covered by GHS: None

Section 3. Composition Information

Exposure Limits(A blank value indicates no information available) The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

| Component | CAS# | PEL(mg/m3) | STEL(mg/m3) | CEIL(mg/m3) | Concentration Range |
|----------------------|---------------|------------|-------------|-------------|---------------------|
| Formaldehyde | 50-00-0 | 0.37 | 2.00 | | <5% |
| Ethylenediaminetetra | aceti 60-00-4 | | | : | 5-10% |
| Methanol | 67-56-1 | 325.00 | 260.00 | | <5% |

Section 4. First Aid Measures

Eye Contact: Check for and remove contact lenses. Wash with large amounts of water for 15 minutes. Seek medical attention.

Skin Contact: Remove contaminated clothing and shoes. Wash the affected area with large with soap and water. Seek medical attention

Ingestion: Give two glasses of water to a conscious victim. Do not induce vomiting. Seek medical attention

Inhalation: Move person to fresh air. If neccessary give CPR; warning this could pose a risk of exposure to the rescue breather. Seek medical attention

The most important known symptoms and effects are described in section 2 and/or section 11.

Section 5. Fire Fighting Measures

Extinguishing Media .: Dry Chemical, Water Spray, Fog, Carbon Dioxide or Alcoholic Foam

Special Fire and Explosion Remarks ..: N/A

Section 6. Accidental Release Measures

Spill Cleanup and Disposal Special ..: Pick up with vermiculite.

Spill Cleanup.: Take up spills with absorbant material and containerize for proper disposal. Use proper PPE as per section 8. Provide ventilation.

Section 7. Handling and Storage

Storage and Handling Special..: N/A

Storage and handling .: Keep container tightly closed. Store in a cool, dry area and protect from physical damage

Section 8. Exposure Controls/Personal Protection

Personal Protective Equipment ..: Safety Glasses, Gloves, Vapor Respirator

This information is provided as a guide but proper PPE can only be determined by the end user and their situation.

Engineering Controls .: Provide local exhaust ventilation to keep the airborne concentrations of vapors below their respective threshold limit values. Ensure that eyewash stations and safety showers are local to the work-station.

Section 9. Physical and Chemical Properties

| Appearence Colorless liquid | Evaporation Rate N/A | Water Soluable? Yes |
|-----------------------------|------------------------------------|--|
| Odor Pungent, suffocating | Upper Flammability Limit (%).: N/A | Volatile Percent 100 |
| Odor Threshhold N/A | Lower Flammability Limit (%): N/A | Partition Coefficient n-octanol/water: N/A |
| pH: N/A | Specific Gravity (@20C) 1.047 | Auto Ignition Temp N/A |
| Melting Point N/A | Vapor Pressure (mm Hg): 152 | Decomposition Temp N/A |
| Boiling Point N/A | Vapor Density (Air=1) 0.83 | Viscosity N/A |
| Flash Point (F) TCC N/A | Relative Density N/A | |

Page: 2 of: 2

Section 10. Stability and reactivity

Special Remarks on Stability ..: Stable

Special Remarks on Reactivity ..: N/A

Water Reactive.: No

Section 11. Toxological Information

Routes of Entry.: Inhalation, Skin absorbtion

Animal Toxicity .: Formaldehyde: Acute Oral (LD50) 42 mg/kg (Mouse) Acute Dermal (LD50) 0.27 mg/kg (Rabbit); Methanol: Acute Oral (LD50) 6.2-13 mg/kg (Rat); Ethylenediaminetetraacetic Acid: Acute Oral (LD50) 2000 mg/kg (Rat) Intraperitoneal (LD50) 250 mg/kg (Mouse)

Human Toxic Effects .: Target Organs: Respiratory System, Skin, Eyes

Potential Acute Health Effects ..: Hazardous in case of inhalation, eye contact, skin contact, ingestion

Potential Chronic Health Effects ..: Formaldehyde: OSHA Carcinogen; IARC Code 3; NTP Code 2

Section 12. Ecological Information

Ecological Information .: N/A

Section 13. Disposal Considerations

Waste Disposal.: Dispose of in accordance with local, state and federal laws.

Section 14. Transport Information

DOT Identification .: NMFC 43940-02(Liquid, Chemicals, IVD) Class 85

Section 15. Regulatory Information
State Regulations.: New York Release reporting list: Methanol, Formaldehyde

Sara Section 311 Reporting

| Component | CAS# | Acut | te (| Chronic | Fire | Pressure | Reactive | SARA302 | SARA313 | CERCLA | RCRA |
|--------------------------|-----------|------|------|---------|------|----------|----------|---------|---------|--------|------|
| Formaldehyde | 50-00-0 | No | No | No | No | No | Yes | Yes | Yes | No | |
| Ethylenediaminetetraacet | i 60-00-4 | No | No | No | No | No | No | No | Yes | No | |
| Methanol | 67-56-1 | No | No | No | No | No | No | Yes | Yes | No | |

Section 16. Other Information

Review Date : 3/15/2023 Reviewed by : Admin MSDS Group Id .:

Notice: This SDS applies only to the material as packaged. If the material is altered by any means it may pose risks not mentioned here.

It is the user's responcibility to develope proper methods of handling and personal protection based on the actual conditions of use.

While this SDS is based on reliable technical data, Poly Scientific R&D Corp. assumes no responcibility for the completeness or accuracy of the information contained herein.