

Section 1. Product and Company Identification

Item Number.: s2173-1
 Common Name.: Rossman's Fluid
 Intended Use : In Vitro Diagnostic use. Laboratory Use Only
 IN CASE OF EMERGENCY, CONTACT: CHEMTREC (24HR) 800-424-9300

Manufacturer.: Poly Scientific R&D Corp.

70 Cleveland Ave
 Bay Shore NY 11706

polyrnd@polyrnd.com

Section 2. Hazard Identification

226 Flammable Liquids Cat 3
 301 Acute toxicity, oral Cat 3
 311 Acute toxicity,dermal Cat 3
 315 Skin corrosion/irritation Cat 2
 318 Serious eye damage/eye irritation Cat 1
 332 Acute toxicity,inhalation Cat 4
 334 Sensitisation, respiratory Cat 1
 350 Carcinogenicity Cat 1A, 1B
 360 Reproductive toxicity Cat 1A, 1B
 370 Specific target organ toxicity, single exposure Cat 1

**Danger**

Flammable liquid and vapour. Toxic if swallowed and in contact with skin. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. May damage fertility or the unborn child. Causes damage to eyes, blood and CNS.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces.-No smoking. Use only in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands/skin thoroughly after handling. In case of inadequate ventilation wear respiratory ventilation. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed, locked up in well ventilated-area and cool. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash skin with soap/water/shower. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experience respiratory symptoms: Call a POISON CENTER or doctor/physician. Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise covered by GHS: None

Section 3. Composition Information

Exposure Limits(A blank value indicates no information available) The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Component	CAS#	PEL(mg/m3)	STEL(mg/m3)	CEIL(mg/m3)	Concentration Range
Ethyl Alcohol	64-17-5		1,900.00		>50%
Isopropyl Alcohol	67-63-0	1,225.00	980.00		<5%
Picric Acid	88-89-1		0.10		<5%
Formaldehyde	50-00-0	0.37	2.00		<5%
Methyl Alcohol	67-56-1	325.00	260.00		<5%

Section 4. First Aid Measures

Eye Contact : Check for and remove contact lenses. Wash with large amounts of water for 15 minutes. Seek medical attention.
 Skin Contact : Remove contaminated clothing and shoes. Wash the affected area with large with soap and water. Seek medical attention
 Ingestion : Give two glasses of water to a conscious victim. Do not induce vomiting. Seek medical attention
 Inhalation : Move person to fresh air. If necessary give CPR; warning this could pose a risk of exposure to the rescue breather. Seek medical attention
 The most important known symptoms and effects are described in section 2 and/or section 11.

Section 5. Fire Fighting Measures

Extinguishing Media.: Use Dry Chemical, Foam or Carbon Dioxide
 Special Fire and Explosion Remarks ...: N/A

Section 6. Accidental Release Measures

Spill Cleanup and Disposal Special ...: Eliminate ignition sources. Pick up with absorbent material.
 Spill Cleanup.: Take up spills with absorbent material and containerize for proper disposal. Use proper PPE as per section 8. Provide ventilation.

Section 7. Handling and Storage

Storage and Handling Special...: N/A
 Storage and handling.: Keep container tightly closed. Store in a cool, dry area and protect from physical damage

Section 8. Exposure Controls/Personal Protection

Personal Protective Equipment ...: Safety Glasses, Gloves, Vapor Respirator
 This information is provided as a guide but proper PPE can only be determined by the end user and their situation.
 Engineering Controls.: Provide local exhaust ventilation to keep the airborne concentrations of vapors below their respective threshold limit values. Ensure that eyewash stations and safety showers are local to the work-station.

Section 9. Physical and Chemical Properties

Appearance.....: Colorless liquid	Evaporation Rate.....: N/A	Water Soluable?: Yes
Odor.....: Pungent, suffocating	Upper Flammability Limit (%): N/A	Volatile Percent: 100
Odor Threshold: N/A	Lower Flammability Limit (%): N/A	Partition Coefficient.....: n-octanol/water: N/A
pH: N/A	Specific Gravity (@20C): 0.791	Auto Ignition Temp.: N/A
Melting Point.....: N/A	Vapor Pressure (mm Hg): 52	Decomposition Temp.....: N/A
Boiling Point: N/A	Vapor Density (Air=1): 1.6	Viscosity: N/A
Flash Point (F) TCC.....: N/A	Relative Density: N/A	

Section 10. Stability and reactivity

Special Remarks on Stability.: Stable

Special Remarks on Reactivity.: N/A

Water Reactive.: No

Section 11. Toxicological Information

Routes of Entry.: Inhalation, Skin Absorption, Ingestion

Animal Toxicity.: Ethyl Alcohol: Acute Oral (LD50) 7060 mg/kg (Rat) Acute Dermal 500mg/24hr (Rabbit); Isopropyl Alcohol: Acute Oral (LD50) 5045 mg/kg (Rat) Acute Dermal 500mg/24hr Rabbit); Picric Acid: Acute Oral (LDLO) 250 mg/kg (Cat); Formaldehyde: Acute Oral (LD50) 800 mg/kg Acute Dermal (LD50) 0.27 gm/kg (Rabbit)

Human Toxic Effects.: Target Organs: Blood, Kidneys, Liver, Mucous Membranes

Potential Acute Health Effects.: Hazardous in case of inhalation, eye contact, skin contact, ingestion

Potential Chronic Health Effects.: Isopropyl Alcohol: IARC Code 3; Formaldehyde: OSHA Carcinogen; IARC Code 3; NTP Code 2

Section 12. Ecological Information

Ecological Information.: N/A

Section 13. Disposal Considerations

Waste Disposal.: Dispose of in accordance with local, state and federal laws.

Section 14. Transport Information

DOT Identification.: UN1170, Ethanol Solutions, 3, II

Section 15. Regulatory Information

State Regulations.: New York release reporting list: Formaldehyde

Component	CAS#	Sara Section 311 Reporting								SARA302	SARA313	CERCLA	RCRA
		Acute	Chronic	Fire	Pressure	Reactive							
Ethyl Alcohol	64-17-5	No	No	No	No	No	No	No	Yes	Yes	No	No	
Isopropyl Alcohol	67-63-0	No	No	No	No	No	No	No	Yes	No	No	No	
Picric Acid	88-89-1	No	No	No	No	No	No	No	Yes	No	No	No	
Formaldehyde	50-00-0	No	No	No	No	No	No	Yes	Yes	Yes	No	No	
Methyl Alcohol	67-56-1	No	No	No	No	No	No	No	Yes	Yes	No	No	

Section 16. Other Information

Review Date : 3/15/2023

Reviewed by : Admin

MSDS Group Id.: 200

Notice: This SDS applies only to the material as packaged. If the material is altered by any means it may pose risks not mentioned here.

It is the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use.

While this SDS is based on reliable technical data, Poly Scientific R&D Corp. assumes no responsibility for the completeness or accuracy of the information contained herein.