

**Section 1. Product and Company Identification**

Item Number.: s2366-1  
 Common Name.: Brasil Fixative  
 Intended Use : In Vitro Diagnostic use. Laboratory Use Only  
 IN CASE OF EMERGENCY, CONTACT: CHEMTREC (24HR) 800-424-9300

Manufacturer.: Poly Scientific R&D Corp.

70 Cleveland Ave  
 Bay Shore NY 11706

polyrnd@polyrnd.com

**Section 2. Hazard Identification**

225 Flammable Liquids Cat 2  
 301 Acute toxicity, oral Cat 3  
 311 Acute toxicity,dermal Cat 3  
 314 Skin corrosion/irritation Cat 1A, B, C  
 334 Sensitiser, respiratory Cat 1  
 350 Carcinogenicity Cat 1A, 1B  
 360 Reproductive toxicity Cat 1A, 1B  
 370 Specific target organ toxicity, single exposure Cat 1

**Danger**

Highly flammable liquid and vapour. Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. May damage fertility or the unborn child. Causes damage to eyes, blood and CNS.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces.-No smoking. If inadequate ventilation wear respiratory protection.Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands/skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use explosion-proof electrical/ventilating/lighting/equipment. Take precautionary measures against static discharge. Keep container tightly closed, locked up in well ventilated-area and cool. In case of fire: Use dry sand, dry chemical or alcohol- resistant foam to extinguish. In case of fire: Use dry sand, dry chemical or alcohol- resistant foam to extinguish. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash skin with soap/water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Dispose of contents/container to an approved waste disposal.

Hazards not otherwise covered by GHS: None

**Section 3. Composition Information**

Exposure Limits(A blank value indicates no information available) The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Component	CAS#	PEL(mg/m3)	STEL(mg/m3)	CEIL(mg/m3)	Concentration Range
Acetic Acid	64-19-7	15.00	10.00		5-10%
Isopropyl Alcohol	67-63-0	1,225.00	980.00		<5%
Ethyl Alcohol	64-17-5		1,900.00		25-50%
Methyl Alcohol	67-56-1	325.00	260.00		<5%
Formaldehyde	50-00-0	0.37	2.00		5-10%

**Section 4. First Aid Measures**

Eye Contact : Check for and remove contact lenses. Wash with large amounts of water for 15 minutes. Seek medical attention.

Skin Contact : Remove contaminated clothing and shoes. Wash the affected area with large with soap and water. Seek medical attention

Ingestion : Give two glasses of water to a conscious victim. Do not induce vomiting. Seek medical attention

Inhalation : Move person to fresh air. If necessary give CPR; warning this could pose a risk of exposure to the rescue breather. Seek medical attention

The most important known symptoms and effects are described in section 2 and/or section 11.

**Section 5. Fire Fighting Measures**

Extinguishing Media.: Use extinguishing agent suitable for type of surrounding fire

Special Fire and Explosion Remarks : N/A

**Section 6. Accidental Release Measures**

Spill Cleanup and Disposal Special :. Warning! Flammable! Eliminate ignition sources. Take up spill with absorbent material.

Spill Cleanup.: Take up spills with absorbant material and containerize for proper disposal. Use proper PPE as per section 8. Provide ventilation.

**Section 7. Handling and Storage**

Storage and Handling Special...: N/A

Storage and handling :. Keep container tightly closed. Store in a cool, dry area and protect from physical damage

**Section 8. Exposure Controls/Personal Protection**

Personal Protective Equipment :. Safety Glasses, Gloves, Vapor Respirator

This information is provided as a guide but proper PPE can only be determined by the end user and their situation.

Engineering Controls :. Provide local exhaust ventilation to keep the airborne concentrations of vapors below their respective threshold limit values. Ensure that eyewash stations and safety showers are local to the work-station.

**Section 9. Physical and Chemical Properties**

Appearance.....: Colorless liquid	Evaporation Rate.....: N/A	Water Soluable?.....: Yes
Odor.....: Pungent, suffocating	Upper Flammability Limit (%): N/A	Volatile Percent.....: 100
Odor Threshold.....: N/A	Lower Flammability Limit (%): N/A	Partition Coefficient.....: n-octanol/water: N/A
pH.....: N/A	Specific Gravity (@20C).....: 0.791	Auto Ignition Temp.....: N/A
Melting Point.....: N/A	Vapor Pressure (mm Hg).....: 52	Decomposition Temp.....: N/A
Boiling Point.....: N/A	Vapor Density (Air=1).....: 1.6	Viscosity.....: N/A
Flash Point (F) TCC.....: N/A	Relative Density.....: N/A	

**Section 10. Stability and reactivity**

Special Remarks on Stability.: Stable

Special Remarks on Reactivity.: N/A

Water Reactive.: No

**Section 11. Toxicological Information**

Routes of Entry.: Inhalation, Skin Absorption, Ingestion

Animal Toxicity.: Glacial Acetic Acid: Acute Oral (LD50): 3310 mg/kg (Rat); Acute Dermal(LD50): 1060 mg/kg (Rabbit);Ethyl Alc: Acute Oral (LD50): 7060 mg/kg (Rat); Acute Dermal(LD50): 500 mg/24hr (Rabbit); Methyl Alc: Acute Oral (LD50):5628 mg/kg (Rat); Acute Dermal (LD50) 500mg/24hr (Rabbit); Isopropyl Alc: Acute Oral (LD50): 5045 mg/kg (Rat); Acute Dermal

Human Toxic Effects.: Target Organs: Lungs, mucous membranes, upper respiratory tract, skin,eyes,teeth, CNS, blood

Potential Acute Health Effects.: Hazardous in case of inhalation, eye contact, skin contact, ingestion

Potential Chronic Health Effects.: Mutagenic for yeast and bacteria. Formaldehyde: OSHA Carcinogen; IARC Code 3; NTP Code 2; Isopropyl Alcohol: IARC Code 3

**Section 12. Ecological Information**

Ecological Information.: N/A

**Section 13. Disposal Considerations**

Waste Disposal.: Dispose of in accordance with local,state and federal laws.

**Section 14. Transport Information**

DOT Identification.: UN1170, Ethanol Solutions,3,III

**Section 15. Regulatory Information**

State Regulations.: New York release reporting list: Acetic Acid, Formaldehyde

Component	CAS#	Sara Section 311 Reporting								SARA302	SARA313	CERCLA	RCRA
		Acute	Chronic	Fire	Pressure	Reactive							
Acetic Acid	64-19-7	No	No	No	No	No	No	No	No	No	Yes	No	No
Isopropyl Alcohol	67-63-0	No	No	No	No	No	No	No	No	Yes	No	No	No
Ethyl Alcohol	64-17-5	No	No	No	No	No	No	No	No	Yes	Yes	No	No
Methyl Alcohol	67-56-1	No	No	No	No	No	No	No	No	Yes	Yes	No	No
Formaldehyde	50-00-0	No	No	No	No	No	No	Yes	Yes	Yes	Yes	No	No

**Section 16. Other Information**

Review Date : 3/15/2023

Reviewed by : Admin

MSDS Group Id.: 136

Notice: This SDS applies only to the material as packaged. If the material is altered by any means it may pose risks not mentioned here.

It is the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use.

While this SDS is based on reliable technical data, Poly Scientific R&amp;D Corp. assumes no responsibility for the completeness or accuracy of the information contained herein.